

<b>Notice of Allowability</b>	Application No.	Applicant(s)
	10/025,898	ZHANG ET AL.
	Examiner El Hadji M. Sall	Art Unit 2157

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- This communication is responsive to 12/08/07.
- The allowed claim(s) is/are 1-11.
- Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - All
  - Some\*
  - None
 of the:
  - Certified copies of the priority documents have been received.
  - Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- \* Certified copies not received: \_\_\_\_\_.
- Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**
- A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
 Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
- DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- Notice of References Cited (PTO-892)
- Notice of Draftperson's Patent Drawing Review (PTO-948)
- Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
- Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
- Notice of Informal Patent Application
- Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
- Examiner's Amendment/Comment
- Examiner's Statement of Reasons for Allowance
- Other \_\_\_\_\_.

  
**ARIO ETIENNE**  
 SUPERVISORY PATENT EXAMINER  
 TECHNOLOGY CENTER 2100

**DETAILED ACTION**

1. This action is responsive to the correspondence filed on December 8, 2006. Claims 1-11 are pending. Claim 1 is amended. Claims 1-11 represent remote system controller for use in a distributed processing framework system and methods for implementing the same.

2. ***Allowable Subject Matter***

3. Claims 1-11 are allowed.

4. Pursuant to 37 C.F.R. 1.109 and M.P.E.P. 1302.14, the following is an Examiner's Statement of Reasons for Allowance:

The prior art of record fails to teach or suggest individually or in combination the claimed limitations of "a kernel copy of the data center component is configured to be changed so as to include the change to the first copy of the data center component upon approval of the change by the data center component, and the data center component is configured to issue an update including the change to the first copy of the data center component to the second user interface to maintain

synchronized data between the first and second user interfaces having access to the data center component, and further wherein a kernel copy of the data center component is configured to be changed so as to include the change to the second copy of the data center component upon approval of the change by the data center component, and the data center component is configured to issue an update to the first user interface to maintain synchronized data between the first and second user interfaces having access to the data center component" as in claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

**5. Conclusion**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to El Hadji Sall whose telephone number is (571)272-4010. The examiner can normally be reached on Monday - Friday 9:00am-6:00pm w/ first Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ario Etienne can be reached on 571-272-4001. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

El Hadji Sall  
Patent Examiner  
Art Unit: 2157

  
ARIO ETIENNE  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100

